

**PARKING EXPANSION FOR CRIMINAL COURTS  
AND UTILITY TUNNEL REPAIRS  
RIVERHEAD COUNTY CENTER  
RIVERHEAD, NEW YORK**

**CAPITAL PROJECT NO. 1124 & 1715**

**ADDENDUM NO. 1  
APRIL 20, 2012**

**PARKING EXPANSION FOR CRIMINAL COURTS  
AND UTILITY TUNNEL REPAIRS  
RIVERHEAD COUNTY CENTER  
RIVERHEAD, NEW YORK  
FOR  
SUFFOLK COUNTY DEPARTMENT OF PUBLIC WORKS  
CAPITAL PROJECT NO. 1124 & 1715**

**TO: PROSPECTIVE BIDDERS**

**The Plans and Specifications for the referenced project are hereby revised as follows:**

**PART 1 – GENERAL**

- 1.01 This Addendum is hereby made and forms a part of the Contract Documents and Modifies the Bidding Documents.**
- 1.02 The work and description of all workmanship and materials contained in the original plans and specifications are to be applied to the work under this Addendum as though written out thereafter, unless otherwise specifically called for.**
- 1.03 The bidders shall read all parts of this Addendum for changes to other divisions or contracts, to determine if and how they will affect their bid.**
- 1.04 Acknowledge receipt of this Addendum in the space provided in the Bid Form. Failure to do so may disqualify the Bidder.**

**Part 2 – CHANGES TO THE PROJECT MANUAL**

**2.01 Amendments**

- A. Revise bid opening date on NB-1 (attached) to May 8, 2012. Cut-off day for contractor RFI's will be May 1, 2012.**

**Dated April 20, 2012**

**PARKING EXPANSION FOR CRIMINAL COURTS  
AND UTILITY TUNNEL REPAIRS  
RIVERHEAD COUNTY CENTER  
RIVERHEAD, NEW YORK**

**CAPITAL PROJECT NO. 1124 & 1715**

**B. Revised page BF-4 of the Bid Form (attached) to require a certified check or Bid Bond in the amount of 5% of the Base Bid.**

**C. Provided copy of the NYSDEC Permit (attached) in conjunction with the Bid Documents.**

**D. Provided revised pages 03300-3 and 03300-7, Section 03300 Cast-in-Place Concrete (attached) to clarify material for premolded joint filler and sealant.**

**PART 3 – CHANGES TO THE DRAWINGS**

**3.01 Amendments**

**None at this time**

**PART 4 – CLARIFICATIONS AND SUPPLEMENTARY SKETCHES**

**4.01 Clarifications**

**A. The electrical work required in all tunnels, including the JT tunnel, is described in the Scope of Work notes on sheet E-1, and should be performed as per the details on sheet E-2. The maximum number of conduits affected by the repair is indicated on the elevation for the JT tunnel on sheet E-1.**

**B. The panel “LPC” referred to in the electrical drawings is located in the power house approximately 50’ from the entry to the tunnels. The majority of the panels in the building were manufactured by Westinghouse.**

**C. Tunnels may be classified as a confined space. Conditions in the space during construction (i.e. insufficient ventilation, danger from falling debris while tunnel cuts are being made, lack of visibility, lack of drainage capacity since sump pumps will not be energized, etc.) may make the space unsafe. Procedures to control entry by Contractor and/or County staff (i.e. permits, atmospheric testing, etc.) will be the responsibility of the Contractor.**

**D. For Alternate 4 (CT Tunnel Floor Slab), the contractor shall assume that the HTHW lines will be obsolete and out-of-service when and if this work is authorized. Only the chilled water pipes will still be in service.**

**Dated April 20, 2012**

**PARKING EXPANSION FOR CRIMINAL COURTS  
AND UTILITY TUNNEL REPAIRS  
RIVERHEAD COUNTY CENTER  
RIVERHEAD, NEW YORK**

**CAPITAL PROJECT NO. 1124 & 1715**

**E. A copy of the sign-in list is attached as part of this addendum for informational purposes.**

End of Addendum

Dated April 20, 2012

ADVERTISEMENT  
NOTICE TO BIDDERS

SUFFOLK COUNTY DEPARTMENT OF PUBLIC WORKS  
YAPHANK, NEW YORK

Sealed bids will be received at the Office of Suffolk County Department of Public Works, Purchasing Unit, (Room 103), 335 Yaphank Avenue, Yaphank, New York 11980, until 11:00 AM local time on May 8, 2012 at which time they will be publicly opened and read for:

**Parking Expansion for Criminal Courts and Utility Tunnel Repairs  
Riverhead County Center**

**CAPITAL PROJECT NO. 1124/1715**

The work consists of the following:

The project includes two separate Capital Projects CP1124 consists of construction of an 83-car surface parking lot in the current area of an existing lawn area. In general this work includes removal of the existing lawn, limited demolition of certain site improvements, drainage improvements, curb, sidewalk, asphalt pavement, landscaping, erosion and sediment control and associated work as indicated on the contract documents. CP1715 consists of repairs to the existing underground utility tunnel. In general this work includes repair of deteriorated concrete tunnel areas, replacement of deteriorated access hatches, waterproofing, replacement of damaged electrical conduit and conductor, lighting and receptacles, welding and intercom circuits, miscellaneous mechanical repairs and associated work as indicated on the contract documents. The project is located at the Riverhead County Center, located at the corner of Routes 24 and 51.

Note: This Project is to be bid as a **single prime project**. Bidders shall submit with their bids, a separate sealed list that names the subcontractor that the bidder will use to perform work on the contract, and the agreed-upon amount to be paid to each as applicable, for: Electrical Work. The apparent low bidder's subcontract information will be opened and read aloud at the bid opening.

Contract Documents, including Instructions to Bidders, Bid Forms, Specimen Agreement, General Conditions, Specifications, Drawings and other contract documents may be examined and obtained at the Offices of Suffolk County Department of Public Works, Purchasing Unit, room 103, 335 Yaphank Avenue, Yaphank, New York 11980, between the hours of 9:30 AM and 3:30 PM daily, except Saturdays, Sundays and holidays, on or after March 29, 2012.

A deposit of One Hundred dollars (\$100.00) in the form of a check will be required for one full set of Contract Documents. Deposit checks or money orders shall be made payable to the "Suffolk County Treasurer." Cash will not be accepted.

Prospective BIDDERS or their agents will be required to provide the following information in

(LUMP SUM CONTRACT) BID FORM

COUNTY OF SUFFOLK - DEPARTMENT OF PUBLIC WORKS - YAPHANK, NEW YORK

BID SECURITY

Each Bidder shall deposit with his bid, a certified check or a Bid Bond in an amount not less than 5% of the Base Bid made payable to Suffolk County Treasurer in the amount of:

\_\_\_\_\_ (\$ \_\_\_\_\_ )

and agrees such surety shall be measure of liquidated damages should he default in delivery of agreement.

COMPLETION

It is intended that the work under this Contract be completed within 180 calendar days after issuance of the formal Notice to Proceed or receipt of a fully executed agreement, whichever occurs first.

ADD/ALTERNATE & UNIT PRICES

The Contract shall include unit prices as herein stated. Should the amount of work required by Contract Documents be increased or decreased, the undersigned accepts the unit price bid as full compensation for furnishing all labor, material, equipment and other related items necessary for completion of work. The quoted figures shall include the Contractor's overhead and profit.

The Commissioner of Public Works hereby reserves the right to order any addition or deduction of Work on the basis of unit cost figures quoted.

PRICE SCHEDULE

ITEM NUMBER	ESTIMATED QUANTITY	UNIT	ITEMS WITH UNIT BID PRICE WRITTEN IN WORDS	UNIT PRICE		EXTENDED TOTAL	
				DOLLARS	CTS	DOLLARS	CTS
A/A 1	13.33	CY	Replacement of Concrete Tunnel Roof, to include*:  Cast-in Place Concrete (including slab removal, new expansion joints and new reinforcing steel)				
	250	SF	Removal of additional Stay-in- Place Forms (beyond base bid, if required)				
				CARRY FWD			



**PERMIT**  
**Under the Environmental Conservation Law (ECL)**

**Permittee and Facility Information**

**Permit Issued To:**  
SUFFOLK COUNTY  
H LEE DENNISON BLDG  
  
HAUPPAUGE, NY 11788

**Facility:**  
RIVERHEAD COUNTY CENTER  
CENTER DR - N SIDE (CO RTE 51) - S OF ST  
RTE 24  
RIVERHEAD, NY 11901

**Facility Application Contact:**  
VHB ENGINEERING SURVEYING AND  
LANDSCAPE ARCHITECTUR  
2150 JOSHUA'S PATH STE 300  
HAUPPAUGE, NY 11788  
(631) 234-3444

**Facility Location:** in SOUTHAMPTON in SUFFOLK COUNTY

**Facility Principal Reference Point:** NYTM-E: 696.119      NYTM-N: 4531.789  
Latitude: 40°54'49.4" Longitude: 72°40'16.3"

**Authorized Activity:** Expand the parking lot; repair existing utility tunnel and increase the proposed native plantings area by .40 acres. All authorized activities must be in strict conformance with the attached plans prepared by VHB dated 03/26/2012 and stamped NYSDEC approved on 04/12/2012.

**Permit Authorizations**

**Wild, Scenic & Recreational Rivers - Under Article 15, Title 27**

Permit ID 1-4736-06637/00004

New Permit

Effective Date: 4/12/2012

Expiration Date: 4/11/2017



**NYSDEC Approval**

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, and all conditions included as part of this permit.

Permit Administrator: JOHN A WIELAND, Deputy Regional Permit Administrator  
Address: NYSDEC REGION 1 HEADQUARTERS  
SUNY @ STONY BROOK, 50 CIRCLE RD  
STONY BROOK, NY 11790 -3409

Authorized Signature: \_\_\_\_\_

Date 04/12/2012

**Distribution List**

VHB ENGINEERING SURVEYING AND LANDSCAPE ARCHITECTUR  
Habitat  
JOHN A WIELAND

**Permit Components**

NATURAL RESOURCE PERMIT CONDITIONS

GENERAL CONDITIONS, APPLY TO ALL AUTHORIZED PERMITS

NOTIFICATION OF OTHER PERMITTEE OBLIGATIONS

**NATURAL RESOURCE PERMIT CONDITIONS - Apply to the Following  
Permits: WILD, SCENIC & RECREATIONAL RIVERS**

- 1. Conformance With Plans** All activities authorized by this permit must be in strict conformance with the approved plans submitted by the applicant or applicant's agent as part of the permit application. Such approved plans were prepared by VHB dated 03/26/2012.
- 2. State Not Liable for Damage** The State of New York shall in no case be liable for any damage or injury to the structure or work herein authorized which may be caused by or result from future operations undertaken by the State for the conservation or improvement of navigation, or for other purposes, and no claim or right to compensation shall accrue from any such damage.



**3. State May Order Removal or Alteration of Work** If future operations by the State of New York require an alteration in the position of the structure or work herein authorized, or if, in the opinion of the Department of Environmental Conservation it shall cause unreasonable obstruction to the free navigation of said waters or flood flows or endanger the health, safety or welfare of the people of the State, or cause loss or destruction of the natural resources of the State, the owner may be ordered by the Department to remove or alter the structural work, obstructions, or hazards caused thereby without expense to the State, and if, upon the expiration or revocation of this permit, the structure, fill, excavation, or other modification of the watercourse hereby authorized shall not be completed, the owners, shall, without expense to the State, and to such extent and in such time and manner as the Department of Environmental Conservation may require, remove all or any portion of the uncompleted structure or fill and restore to its former condition the navigable and flood capacity of the watercourse. No claim shall be made against the State of New York on account of any such removal or alteration.

**4. State May Require Site Restoration** If upon the expiration or revocation of this permit, the project hereby authorized has not been completed, the applicant shall, without expense to the State, and to such extent and in such time and manner as the Department of Environmental Conservation may lawfully require, remove all or any portion of the uncompleted structure or fill and restore the site to its former condition. No claim shall be made against the State of New York on account of any such removal or alteration.

**5. Precautions Against Contamination of Waters** All necessary precautions shall be taken to preclude contamination of any wetland or waterway by suspended solids, sediments, fuels, solvents, lubricants, epoxy coatings, paints, concrete, leachate or any other environmentally deleterious materials associated with the project.

**6. Work Area Limits** Any work, disturbance, and or storage of construction materials shall be confined to within the limit of clearing and ground disturbance shown on the approved plan.

**7. Straw Bales** Prior to commencement of any construction activities, a continuous row of straw bales shall be staked end to end as needed, down slope of any areas of ground disturbance.

**8. Straw Bales to Be Entrenched** Straw bales shall be entrenched two to four inches into the ground.

**9. Maintain Bales** The bales shall be maintained, repaired and replaced as often as necessary to ensure proper function, until all disturbed areas are permanently vegetated. The average useful life of a bale is approximately 3-4 months. Sediments trapped by the bales shall be removed to an approved upland location before the bales themselves are removed.

**10. Clean Fill Only** All fill shall consist of clean soil, sand and/or gravel that is free of the following substances: asphalt, slag, flyash, broken concrete, demolition debris, garbage, household refuse, tires, woody materials including tree or landscape debris, and metal objects. The introduction of materials toxic to aquatic life is expressly prohibited.

**11. Seed, Mulch Disturbed Areas** All areas of soil disturbance resulting from this project shall be seeded with an appropriate perennial grass, and mulched with straw immediately upon completion of the project, within two days of final grading, or by the expiration of the permit, whichever is first.



**12. Temporary Mulch, Final Seeding** If seeding is impracticable due to the time of year, a temporary mulch shall be applied and final seeding shall be performed at the earliest opportunity when weather conditions favor germination and growth but not more than six months after project completion.

**13. Minimum % Vegetative Cover** Suitable vegetative cover is defined as a minimum of 85 % area vegetative cover with contiguous unvegetated areas no larger than 1 square foot in size.

**14. Notice of Commencement** At least 48 hours prior to commencement of the project, the permittee and contractor shall sign and return the top portion of the enclosed notification form certifying that they are fully aware of and understand all terms and conditions of this permit. Within 30 days of completion of project, the bottom portion of the form must also be signed and returned, along with photographs of the completed work.

**15. Post Permit Sign** The permit sign enclosed with this permit shall be posted in a conspicuous location on the worksite and adequately protected from the weather.

**16. Planting Required** The area shown on the approved plans must be planted as noted on the approved plans. Native shrubs (no cultivars) should be a minimum of three gallon size and planted six feet on center. After the initial planting, no fertilizer is to be used in the area. The area is to become a non disturbance - no mow zone.

### **GENERAL CONDITIONS - Apply to ALL Authorized Permits:**

**1. Facility Inspection by The Department** The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71- 0301 and SAPA 401(3).

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

**2. Relationship of this Permit to Other Department Orders and Determinations** Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.



**3. Applications For Permit Renewals, Modifications or Transfers** The permittee must submit a separate written application to the Department for permit renewal, modification or transfer of this permit. Such application must include any forms or supplemental information the Department requires. Any renewal, modification or transfer granted by the Department must be in writing. Submission of applications for permit renewal, modification or transfer are to be submitted to:

Regional Permit Administrator  
NYSDEC REGION 1 HEADQUARTERS  
SUNY @ STONY BROOK 50 CIRCLE RD  
STONY BROOK, NY 11790 -3409

**4. Submission of Renewal Application** The permittee must submit a renewal application at least 30 days before permit expiration for the following permit authorizations: Wild, Scenic & Recreational Rivers.

**5. Permit Modifications, Suspensions and Revocations by the Department** The Department reserves the right to exercise all available authority to modify, suspend or revoke this permit. The grounds for modification, suspension or revocation include:

- a. materially false or inaccurate statements in the permit application or supporting papers;
- b. failure by the permittee to comply with any terms or conditions of the permit;
- c. exceeding the scope of the project as described in the permit application;
- d. newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit;
- e. noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**6. Permit Transfer** Permits are transferrable unless specifically prohibited by statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.



## NOTIFICATION OF OTHER PERMITTEE OBLIGATIONS

### **Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification**

The permittee, excepting state or federal agencies, expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees, and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under Article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

### **Item B: Permittee's Contractors to Comply with Permit**

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

### **Item C: Permittee Responsible for Obtaining Other Required Permits**

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

### **Item D: No Right to Trespass or Interfere with Riparian Rights**

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.

**NOTICE OF COMMENCEMENT OF CONSTRUCTION**

**RETURN THIS FORM TO: COMPLIANCE**

Bureau of Habitat-TW  
50 Circle Road  
Stony Brook, NY 11790-3409

**Or Fax to: 631-444-0297**



PERMIT NUMBER: \_\_\_\_\_ EXPIRATION DATE: \_\_\_\_\_

PERMITTEE NAME & PROJECT ADDRESS: \_\_\_\_\_  
\_\_\_\_\_

CONTRACTOR NAME & ADDRESS: \_\_\_\_\_  
\_\_\_\_\_

TELEPHONE: \_\_\_\_\_

Dear Sir:

Pursuant to the special conditions of the referenced permit, you are hereby notified that the authorized activity shall commence on \_\_\_\_\_. We certify that we have read the referenced permit and approved plans and fully understand the authorized project and all permit conditions. We have inspected the project site and can complete the project as described in the permit and as depicted on the approved plans. We can do so in full compliance with all plan notes and permit conditions. The permit, permit sign, and approved plans will be available at the site for inspection in accordance with General Condition No. 1. (Both signatures required)

PERMITEE: \_\_\_\_\_ DATE \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_ DATE \_\_\_\_\_

***THIS NOTICE MUST BE SENT TO THE ABOVE ADDRESS AT LEAST TWO DAYS PRIOR TO COMMENCEMENT OF THE PROJECT AND /OR ANY ASSOCIATED ACTIVITIES. FAILURE TO RETURN THIS NOTICE, POST THE PERMIT SIGN, OR HAVE THE PERMIT AND APPROVED PLANS AVAILABLE AT THE WORK SITE FOR THE DURATION OF THE PROJECT MAY SUBJECT THE PERMITTEE AND/OR CONTRACTOR TO APPLICABLE SANCTIONS AND PENALTIES FOR NON-COMPLIANCE WITH PERMIT CONDITIONS.***

Cut along this line ✂ ✂ ✂ ✂ ✂ ✂ ✂

**NOTICE OF COMPLETION OF CONSTRUCTION**

**RETURN THIS FORM TO: COMPLIANCE**

Bureau of Habitat- TW  
50 Circle Road  
Stony Brook, NY 11790-3409

**Or Fax to: 631-444-0297**



PERMIT NUMBER: \_\_\_\_\_ EXPIRATION DATE: \_\_\_\_\_

PERMITTEE NAME & PROJECT ADDRESS: \_\_\_\_\_  
\_\_\_\_\_

CONTRACTOR NAME & ADDRESS: \_\_\_\_\_  
\_\_\_\_\_

TELEPHONE: \_\_\_\_\_

Pursuant to special conditions of the referenced permit, you are hereby notified that the authorized activity was completed on \_\_\_\_\_. We have fully complied with the terms and conditions of the permit and approved plans. (Both signatures required)

PERMITEE: \_\_\_\_\_ DATE \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_ DATE \_\_\_\_\_

***THIS NOTICE, WITH PHOTOGRAPHS OF THE COMPLETED WORK AND/OR A COMPLETED SURVEY, AS APPROPRIATE, MUST BE SENT TO THE ABOVE ADDRESS WITHIN 30 DAYS OF COMPLETION OF THE PROJECT.***

New York State  
Department of Environmental Conservation

 NOTICE 

The Department of Environmental Conservation (DEC) has issued permit(s) pursuant to the Environmental Conservation Law for work being conducted at this site. For further information regarding the nature and extent of work approved and any Departmental conditions on it, contact the Regional Permit Administrator listed below. Please refer to the permit number shown when contacting the DEC.

Regional Permit Administrator

Permit Number

1-4736-06637/0001

ROGER EVANS

Expiration Date

4/11/2017

NOTE: This notice is NOT a permit

2. American Concrete Institute (ACI) 318, "Building Code Requirements for Structural Concrete."
  3. Concrete Reinforcing Steel Institute (CRSI) "Manual of Standard Practice."
- B. Work, materials, and color of the handicap ramp paving shall conform to applicable sections of Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings.
- C. Dimensions, locations, and details of appurtenances (e.g. access hatches and ladders), anchors, supports, and similar features indicated on the Drawings are approximate. Manufacturer's approved shop drawings of appurtenances to be supported, anchored, or contained thereby shall be consulted for exact location, size, and details.

#### **1.05**      **SUBMITTALS**

- A. Submit product data for proprietary materials and items, including reinforcement and forming accessories, admixtures, patching compounds, waterstops, joint systems, curing compounds, dry-shake finish materials, and others, if requested by the Engineer.
- B. Submit shop drawings for reinforcement detailing, fabricating, bending, and placing concrete reinforcement including bar schedules, stirrup spacing, bent bar diagrams, and arrangement of concrete reinforcement. Include special reinforcing required for openings through concrete structures.
- C. Submit samples of materials as requested by Engineer, including names, sources, and description, as follows:
1. Color finishes.
  2. Normal weight aggregates.
  3. Waterstops.
  4. Vapor retarder/barrier.
  5. Form release agents.
  6. Dowel bar splicers.
  7. Expansion Joint Filler.
  8. Silicone Joint Sealant.
- D. Concrete mix designs and laboratory test reports for concrete materials and mix design test.

#### **1.06**      **TESTING**

- A. The Owner will engage an independent testing laboratory to inspect and test cast-in-place concrete work.
- B. Testing of materials and installed work may occur at any time during progress of the work. Rejected materials and installed work shall be removed and replaced.

of batch is released. For mixers of capacity larger than 1 cubic yard, increase minimum 1-1/2 minutes of mixing time by 15 seconds for each additional cubic yard.

1. Provide batch ticket for each batch discharged and used in the Work, indicating Project identification name and number, date, mix, mix type, quantity, and amount of water introduced.

B. Ready-Mixed Concrete: Comply with requirements of ASTM C94:

1. When air temperature is between 85 degrees F (30 degrees C.) and 90 degrees F. (32 degrees C.), reduce mixing delivery time from 1-1/2 hours to 75 minutes, and when air temperature is above 90 degrees F. (32 degrees C.), reduce mixing and delivery time to 60 minutes.

## **2.07 ACCESSIBLE WAY RAMPS**

A. Color hardener and curing compound shall be manufactured and supplied by the Bomanite Corporation, 81 Encina Avenue, Palo Alto, CA 94301; tel. 800-854-2094, or approved equivalent.

1. Color for concrete shall have visual contrast with surrounding paving in accordance with ADA Guideline A4.29.2 "Detectable Warnings on Walking Surfaces."
2. Curing compound shall be liquid applied, Bomanite Color Curing Compound, or approved equivalent.
3. Surface sealer shall be non-yellowing type which breathes water vapor, as manufactured by ProSoCo, Sika Chemical Corporation, Dural-International Corporation, or approved equivalent.

## **2.08 EXPANSION JOINTS**

A. Expansion joint filler shall be preformed, nonbituminous type joint filler conforming to ASTM D1752, Type II, similar to Sealtight Cork Expansion Joint Filler, manufactured by W.R. Meadows, Inc., Elgin, IL 60120, or approved equivalent.

1. Premolded filler shall be one piece for the full depth and width of the joint leaving a sealant recess as indicated.
2. Use of multiple pieces of lesser dimensions to make up required depth and width of joint will not be permitted.
3. Except as otherwise noted on the Drawings, joint filler shall be 1/2 inch thick.
















B. Sealant:

1. Silicone Joint Sealants: Silicone sealants shall be Bondaflex Silicone 728 NS, manufactured by Bondaflex Technologies, Clinton, NJ, or approved equal.

SH 1/

4/16/12 - CONTRACTOR WALK THROUGH ATTENDANCE  
FOR BID of

CP1124/1715 - Parking Expansion for Criminal Courts &  
Utility Tunnel Repairs, Riverhead County Center

<u>COMPANY NAME</u>	<u>INDIVIDUAL NAME (PRINT)</u>	<u>SIGNATURE</u>
1. DCD BUILDERS	DAVID ILCHERT	
2. HINCK ELECTRIC	GARY SANDY	
3. Rosemar	Matt Berretta	
4. VHB	PRESTON HAUSTEAD	
5. VHB	KEVIN WOLST	
6. PSC	BOB CEMBRICK	
7. Norman Kurrass Corp	Ken Kurrass	
8. PRATT BROTHERS	DAVE HINT	
9. Joseph Tricarico GTM EARTH	Posillico	
10. MOVING, INC.	R. COFFILL	
11. Road Work Ahead	Chris Mannino	
12. SANTI ROOFTOP ENT	Roger Baker	
13. SCDPW	RAY MUXO	
14. Delcon Systems	Ed Ritzmann	
15. ROLANDS ELECTRIC	ED ROWLES	










Conducted by: Keith Larsen, R.A. / Ray Muxo, P.E. SCDPW/ VHB  
Engineering

SH21

**4/16/12 - CONTRACTOR WALK THROUGH ATTENDANCE**  
**FOR BID of**

**CP1124/1715 – Parking Expansion for Criminal Courts &  
Utility Tunnel Repairs, Riverhead County Center**

**COMPANY NAME**      **INDIVIDUAL NAME (PRINT)**      **SIGNATURE**

1. C. AC contracting      Stephen Albertson      
2. Bimasco Inc      Bud Sexton      
3. CCLT      Eric Baumack      
4. LASER INDUSTRIES      VINCE BAUDI      
5. ADJO CONTRACTING      Carl Santoluc      
6. ~~ADJO~~      
7. DARR CONST      Ray Cannetti      
8. All Service Elect      Michael J. Ryan      
9. SCDPW      KEITH LARSEN      
10. \_\_\_\_\_
11. \_\_\_\_\_
12. \_\_\_\_\_
13. \_\_\_\_\_
14. \_\_\_\_\_
15. \_\_\_\_\_

**Conducted by: Keith Larsen, R.A. / Ray Muxo, P.E. SCDPW/ VHB  
Engineering**